



**Cordless Hedge Trimmer**  
**DUH501 / DUH601 / DUH751**  
**DUH502 / DUH602 / DUH752**



# High efficiency as 22cc class petrol hedge trimmer

**18V**  
**LITHIUM-ION**

## 500 mm


**DUH501**

Sharp edge Blade



**DUH502**

Standard Blade



## 600 mm


**DUH601**

Sharp edge Blade



**DUH602**

Standard Blade



## 750 mm


**DUH751**

Sharp edge Blade



**DUH752**

Standard Blade







# Delivers the power demanded for e

**Light weight**

**3.8 kg**

Batteries: BL1815N ( 1.5Ah )  
Model: DUH601



**Optimum blade**

**Sharp edge blade**  
Upper blade...curving  
Lower blade...curving

Contact point is o



**Long run time**

No load continuous run time (approx)

**165 min** DUH601 Low mode with BL1850B

High speed mode ▶ **45 min**

## Anti-vibration structure

consisting of Motor-crank section and handle section linked by 5 cushions to absorb vibration from blade and motor-crank section




Rubber ring x5



## Reverse rotation system

for freeing the blade when it is jammed by thick branches,



## Variable 3-speed



- High: 0-4,400 SPM
- Medium: 0-3,600 SPM
- Low: 0-2,000 SPM

Blade tip guard protects blade from unnecessary wear



# Power and performance engine hedge trimmers.

## Special shape for smooth cutting

DUH501 / DUH601 / DUH751



## High Power and High Speed



**BL  
MOTOR**

### High speed

strokes per minute

**4,400**min<sup>-1</sup>

High speed mode  
(No load speed)



photo: DUH601


**XPT**

**18V  
LITHIUM-ION**

DUH501 / DUH601 / DUH751

**BL XPT  
MOTOR**


Sharp edge Blade



DUH502 / DUH602 / DUH752

**BL XPT  
MOTOR**

Standard Blade



## 5 position rotating rear handle

- Locks at 45° and 90° left and right and 0°.
- Makes vertical and angled trimming easier and faster.







18V + 18V → 36V



Blower  
DUB361 /  
DUB362

Pruning Shear  
DUP361 /  
DUP362

Grass Trimmer  
DUR364L / DUR365U  
DUR366L

Hedge Trimmer  
DUH483 / DUH523 /  
DUH501 / DUH601 /  
DUH751 / DUH502 /  
DUH602 / DU752

Recipro Saw  
DJR183 /  
DJR185

Chain Saw  
DUC252 / DUC252C / DUC302 /  
DUC303 / DUC353 / DUC400 /  
DUC305 / DUC355 / DUC405

Hedge Trimmer  
DUH551 / DUH651

Multi Function  
Power Head  
DUX60

Blower  
DUB183

Grass Trimmer  
DUR184L / DUR187L /  
DUR187U / DUR188L /  
DUR188U / DUR189

String  
Trimmer  
DUR181

Grass Shear  
DUM604

Chain Saw  
DUC122 / DUC204 /  
DUC254 / DUC254C

Lawn Mower  
DLM380 / DLM431 /  
DLM460

1.5Ah 2.0Ah  
3.0Ah 4.0Ah  
5.0Ah 6.0Ah

Wheelbarrow  
DCU180

## Accessories

### Shear blade & Blade cover for Hedge Trimmer

#### Shear blade

DUH501 / DUH601 / DUH751

DUH502 / DUH602 / DUH752

#### Blade cover

DUH501 /  
DUH601 /  
DUH751

DUH502  
/DUH602  
/DUH752

Model No.	Blade assembly	Blade cover
	Part No.	Part No.
DUH501	199098-3	458413-3
DUH601	199099-1	458414-1
DUH751	199100-2	458415-9
DUH502	199598-3	459120-1
DUH602	199599-1	459121-9
DUH752	199600-2	459122-7

### Chip receiver assembly set

Prevents branch or leaf debris from scattering around.

- Attachable to either side of the blade

Part No. 199151-5

One-touch installation/removal



## Cordless Hedge Trimmer

DUH501 / DUH502 500 mm (19-3/4") DUH601 / DUH602 600 mm (23-5/8") DUH751 / DUH752 750 mm (29-1/2")

	DUH501 / DUH502	DUH601 / DUH602	DUH751 / DUH752
Variable Speed	Yes	Yes	Yes
Brake	Yes	Yes	Yes
Reversing	Yes	Yes	Yes
Electronic 3-Speed	Yes	Yes	Yes
Constant Speed	Yes	Yes	Yes
Soft Start	Yes	Yes	Yes
<b>Blade Length</b>	500 mm (19-5/8")	600 mm (23-5/8")	750 mm (29-1/2")
<b>Max Cutting Capacity</b>	DUH501: 23.5 mm (15/16") DUH502: 21.5 mm (7/8")	DUH601: 23.5 mm (15/16") DUH602: 21.5 mm (7/8")	DUH751: 23.5 mm (15/16") DUH752: 21.5 mm (7/8")
<b>Strokes Per Minute (SPM)</b>	High / Med / Low: 0 - 4,400 / 0 - 3,600 / 0 - 2,000	High / Med / Low: 0 - 4,400 / 0 - 3,600 / 0 - 2,000	High / Med / Low: 0 - 4,400 / 0 - 3,600 / 0 - 2,000
<b>Vibration Level</b>	2.5 m/s <sup>2</sup>	2.5 m/s <sup>2</sup> or less	DUH751: 2.5 m/s <sup>2</sup> DUH752: 2.5 m/s <sup>2</sup> or less
<b>Sound Pressure Level</b>	DUH501: 84 dB(A) DUH502: 81.3 dB(A)	DUH601: 82 dB(A) DUH602: 82.1 dB(A)	DUH751: 84 dB(A) DUH752: 80.5 dB(A)
<b>Sound Power Level</b>	DUH501: 97 dB(A) DUH502: 86.8 dB(A)	DUH601: 95 dB(A) DUH602: 87.4 dB(A)	DUH751: 97 dB(A) DUH752: 87.8 dB(A)
<b>Dimensions (L x W x H)</b>	1,016x225x192 mm (40"x8-7/8"x7-1/2")	1,121x225x192 mm (44-1/4"x8-7/8"x7-1/2")	1,261x225x192 mm (49-1/2"x8-7/8"x7-1/2")
<b>Net weight</b>	DUH501: 3.8 - 4.5 kg (8.4 - 9.8 lbs.) DUH502: 3.7 - 4.4 kg (8.2 - 9.7 lbs.)	DUH601: 3.8 - 4.5 kg (8.4 - 9.8 lbs.) DUH602: 3.7 - 4.4 kg (8.2 - 9.7 lbs.)	DUH751: 3.8 - 4.5 kg (8.4 - 9.8 lbs.) DUH752: 3.7 - 4.4 kg (8.2 - 9.7 lbs.)

**Standard Equipment:** Blade Cover, Safety Goggles (country-specific), Battery, Charger

The weight may differ depending on the attachment(s), including the battery cartridge. The lightest and heaviest combination, according to EPTA-Procedure 01/2014, are shown in the table. Items of standard equipment and specifications may vary by country or area.

# Makita Corporation

3-11-8 Sumiyoshi-cho, Anjo, Aichi, 446-8502 Japan

PRINTED IN JAPAN 201903